NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Attachment to L-2991 25X1 13 April 1967 _Page l Сору

REFERENCE:

NAVAL BASE AND PORT YU-LIN, CHINA

SIGNIFICANCE:

HIGH OB COUNT (PARTICULARLY SHANGHAI-CLASS PTF), AND THE PRESENCE OF TARGET BARGES, YO'S, AND MISCELLANEOUS AUXILIARIES IN NUMBERS NOT USUALLY ASSOCIATED WITH YU-LIN OB COUNTS.

2. LOCATION: ON SE EDGE OF YU-LIN AT 181332N-1093159E.

REMARKS:

INSTALLATION CONSISTS OF 2 MARINE RAILWAYS (EACH WITH 3 WAYS), 9 PATROL BOAT STORAGE CRADLES SERVED BY A FLOATING CRANE, 1 FLOATING PIER, AND EXTENSIVE WHARFAGE AND SUPPORT FACILITIES. COMPLEX CONTAINS NUMEROUS BARRACKS, STORAGE FACILITIES, AND ADMINISTRATION BUILDINGS.

THE HIGHEST PREVIOUS OB COUNT WAS REPORTED ON AS FOLLOWS: 1 PROBABLE HAINAN-

CLASS PC, 1 KRONSHTADT-CLASS PC, 6 P-4-CLASS PT,

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

25X1

Approved For Release 2006/03/16: CIA-RDP79-0084PA000800010004-1

TOP SECRET

oproved For Release 2006/03/1	6 : TAPRSECRET 49A000800010004-1	25
(c) NATION	AL PHOTOGRAPHIC INTERPRETATION CENTER	
	Attachment to L-2991 13 April 1967 Page 2	25
	1 U/I VESSEL ON MARINE RAILWAY, 2 PROBABLE	
	SHANGHAI-CLASS PTF, 1 LCT-3-CLASS LCU, AND	
	SEVERAL SMALL CRAFT.	
5. FIRST IDENTIFICATIO	w:	2
6. <u>NEGATION DATE</u> :	NONE	
		2:
These notes have been prep should be restricted to the par porting period as indicated by Division, NPIC.	pared for briefing purposes only and should not be used for detailed analytical work. Their use rticular briefing board(s) they were prepared for and must be considered valid only for the revy the date of issue. For information concerning these notes contact Chief, Collateral Support	
pproved For Release 2006/03/10	6 : CIA-RDP79-00849A000800010004-1 TOP SECRET	

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Attacl	hment to L-2991	
		25X1
	13 April 1967	
	Page 3	

- 7. SUBSEQUENT COVERAGE: 5 TALENT, 25X1
 9 KH-4, 6 KH-7, MISSIONS. 25X1
- 8. <u>DIMENSIONS/</u>
 <u>SPECIFICATIONS:</u> NONE
- 9. MISSION READOUT: OB -- 1 HAINAN-CLASS PC, 3 KRONSHTADT-CLASS PC, 10 SHANGHAI-CLASS PTF (9 AT PORT FACILITY), 1 PROBABLE SWATOW-CLASS PGM, 1 LCM, 4 PROBABLE TARGET BARGES, 7 PROBABLE YP, 1 YO, 1 POSSIBLE YO, AND 2 U/I AUXILIARIES.

	•	•	•	•	

25X1

) <i>[</i>	\-R[)P7	'9- 0	084	19A	<u>00</u>	080	<u> </u>	100	04-1	ı
<i>,,,</i>	7 - I V - -	/l (~~	~~		.~~	~~	,,,		/ V T -	

Attachment to L-2991 1 May 1967

REFERENCE:	NAVAL	BASE	AND	PORT
	Ž	(U-LIN	T, CI	AINA

LOCATION:

ON SOUTHEAST EDGE OF YU-LIN AT 1813N-10931E.

REMARKS:

INSTALLATION CONSISTS OF 2 MARINE RAILWAYS (EACH WITH 3 WAYS), 9 PATROL BOAT STORAGE CRADLES SERVED BY A FLOATING CRANE, 1 FLOATING PIER, AND EXTENSIVE WHARFAGE AND SUPPORT FACILITIES. COMPLEX CONTAINS NUMEROUS BARRACKS, STORAGE FACILITIES, AND ADMINISTRATION BUILDINGS.

MISSION READOUT: THIS MISSION REVEALS OB -- 1 PROBABLE KIANGNAN-CLASS DE (NOT IMAGED ON THIS FRAME), 1 PROBABLE ETOROFU-CLASS PF, 3 KRONSHTADT-CLASS PC, 10 SHANGHAI-CLASS PTF (9 AT PORT FACILITY), 1 LCM, 7 PROBABLE YP, 1 YO, 1 POSSIBLE YO, 4 PROBABLE TARGET BARGES, AND SEVERAL SMALL CRAFT.

A LARGE PROBABLE GRAVING DOCK IS UNDER CONSTRUCTION NORTHEAST OF THE PORT FACILITY. A COFFERDAM HAS BEEN CONSTRUCTED ACROSS A SMALL COVE ON THE BAY. EXCAVATIONS, PARTLY ON THE SHORE AND PARTLY ON THE DRAINED PORTION OF THE RECLAIMED LAND, ARE WELL ADVANCED WITH POSSIBLE FOOTINGS IN PLACE AT THE

GROUP 1 Excluded from automatic downgrading and declassification

These nates

Their use should

s only and should not be used for detailed analytical work. oard(s) they were prepared for and must be considered valid

Approved For Release 2006/03/16 : CIA-RDP79-00849A000800010004-1

Approved For Release 2006/03/16: CIA-RDP79-00849A000800010004-1


Attachment to L-2991 1 May 1967

CENTER OF THE HOLE. THE OVERALL SIZE OF THE GRAVING DOCK SHOULD BE ADEQUATE TO ACCOMMODATE ANY OPERATIONAL COMBATANT UNIT CURRENTLY IN THE NAVY.

Their use should

ges only and should not be used for detailed analytical work. board(s) they were prepared for and must be considered valid

Approved For Release 2006/03/16 : CIA-RDP79-00849A000800010004-1



EEPRODUCTION OF THIS POCUMENT IN WHOLE OR IN CASE 12 STRITTED EXCEPT WITH A SERVICE OF THE OFFICE OF ORIGIN,

C 2 11 2/1